

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 06-155099

(43)Date of publication of application : 03.06.1994

(51)Int.Cl.

B30B 15/04

(21)Application number : 04-309867

(71)Applicant : KOMATSU LTD

(22)Date of filing : 19.11.1992


(72)Inventor : ARAKI YASUHIRO

## (54) PRESS

### (57)Abstract:

PURPOSE: To improve the transportability of a large press so that a crown can be transported without being divided.

CONSTITUTION: The press body 1 consists of a bed 2, an upright 3, an upper frame 4 and a crown 5 in which a slide driving mechanism 8 is incorporated, the bed 2 and the upper frame 4 are connected by a tie rod 6 inserted in the upright 3, further, the upper frame 4 and the crown 5 are connected by another tie rod 9 and a slide guide 4a guiding the slide moved vertically by the slide driving mechanism 8 is mounted on the upper frame 4. Since the crown 5 can be made smaller and more lightweight by mounting the rigid upper frame 4, the transportation can be executed easily.



## LEGAL STATUS

[Date of request for examination]

03.08.1999

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 3342062

[Date of registration] 23.08.2002

[Number of appeal against examiner's  
decision of rejection]

[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

**\* NOTICES \***

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

**CLAIMS**

---

[Claim(s)]

[Claim 1] The press which comes to prepare slide-guide 4a which guides the slide 7 which moves up and down with the above-mentioned slide drive 8 while constituting the main part 1 of a press from crown 5 which carried out the interior of a bed 2, a plate 3, the up frame 4, and the slide drive 8, and joining together by the tie rod 6 which inserted in between a bed 2 and the up frames 4 in plate 3 and combining between the up frame 4 and crown 5 by another tie rod 9 in the above-mentioned up frame 4.

---

[Translation done.]

**\* NOTICES \***

**Japan Patent Office is not responsible for any damages caused by the use of this translation.**

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

**DESCRIPTION OF DRAWINGS**

---

[Brief Description of the Drawings]

[Drawing 1] It is explanatory drawing of the conventional press.

[Drawing 2] It is the vertical section front view of the press which becomes one example of this invention.

[Drawing 3] some presses which become one example of this invention -- it is a notch side elevation

[Description of Notations]

1 [ -- Aplite, 4 / -- An up frame, 4a / -- A slide guide, 5 / -- Crown, 6 / -- A tie rod, 8 / -- A slide drive, 9 / -- Tie rod. ] -- The main part of a press, 2 -- A bed, 3

---

[Translation done.]

**\* NOTICES \***

Japan Patent Office is not responsible for any damages caused by the use of this translation.


1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---


**DRAWINGS**

---


[Drawing 1]



[Drawing 2]



[Drawing 3]



---

[Translation done.]